




Pos. 004, Quantity: 1
 Sliding Door 1 Door Sliding Left, 1 Door Sliding Right
 Job: DTD Ref Chapter House
 System: AluK GB BSC94 Duorail Inline Sliding P-15-801
 Exterior View

4x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer, Argon, Glazing U-Value 1.2
 28mm 2.16 m² 1008 x 2140mm



- 1x Pentlock 5 Point Lock
- 1x Inline Sliding Door Full Length Single Keep
- 1x Internal Handle with Lever & Cylinder Right Black
- 1x Internal Handle without Lever & Cylinder Left Black
- 1x External Handle with Lever & Cylinder Left Black
- 1x External Handle without Lever & Cylinder Left Black
- 1x Steel Squared Pivot 8mm




1 A-GS-300

PROJECT NAME: DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8



Pos. 006, Quantity: 1
 Single Door Left Hung, Midrail
 Job: DTD Ref Chapter House
 System: Jack Aluminium JD47 Double Glazed Standard (JD121)
 Exterior View

1x N/T 24mm Clear Planitherm, 4:16:4 Tough Clear, Black Spacer, Argon, Glazing U-Value 1.2
 24mm 0.75 m² 1032 x 730mm

1x N/T 24mm Clear Planitherm, 4:16:4 Tough Clear, Black Spacer, Argon, Glazing U-Value 1.2
 24mm 1.20 m² 1032 x 1167mm




- 1x 225 mm Handle RAL
- 2x End Load Arm & Channel 8800-15
- 2x Hook Lock 25mm Backset
- 4x Escutcheons Self Adhesive Black Black
- 2x Std Bottom Pivot Assembly 8800-02
- 1x Euro Cylinder Keyed Alike in Pairs
- 3x Flat Face Plat
- 1x Closer L/D Hold Open 8802-90
- 1x Closer L/D Hold Open 8801-90





1 JDG003
 2 JDG003

PROJECT NAME DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8

Pos. 007, Quantity: 2
 Double Frame
 Job: DTD Ref Chapter House
 System: AluK GB 58BW / 58BD Residential / ST Square Push In
 Exterior View




2x 2x4mm 4mm Clear Planitherm Argon 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
 28mm 2.44 m² 1089 x 2245mm



1 A-GS-305

PROJECT NAME DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8



Pos. 009, Quantity: 2
 Type 03. Open Out Top Hung Window as Viewed from Outside
 Job: DTD Ref Chapter House
 System: AluK GB 58BW / 58BD Commercial Bevelled Push In
 Exterior View



2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
 28mm 0.48 m² 537 x 888mm

2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
 28mm 0.37 m² 470 x 796mm

- 2x AW+ Rebate Centre Keep R/H
- 2x Euro Shootbolt Cover
- 2x 20" T/H Defender Restricted Friction Stay/pair
- 10x 58BW Anti Jemmy/14mm Stack Run Up Block
- 4x AW+ Rebate End Keep
- 2x AW+ Rebate Centre Keep L/H
- 2x Winlock Espag Handle Black
- 2x AW+ Euro Shootbolt 540-820mm






0 A-GS-305
 2 A-GS-305

PROJECT NAME: DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8

Pos. 010, Quantity: 1
 Open out Windows
 Job: DTD Ref Chapter House
 System: AluK GB 58BW / 58BD Commercial Square Push In
 Exterior View

- 2x 2x4mm 4mm Clear Planitherm Argon . 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2 28mm 1.18 m² 1064 x 1105mm
- 2x 2x4mm 4mm Clear Planitherm Argon . 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2 28mm 1.15 m² 1064 x 1080mm
- 2x 2x4mm 4mm Clear Planitherm Argon . 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2 28mm 1.00 m² 991 x 1013mm
- 2x 2x4mm 4mm Clear Planitherm Argon . 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2 28mm 1.17 m² 1083 x 1080mm

- 2x AW+ Rebata Centre Keep R/H
- 2x Euro Shootbolt Cover
- 2x AW+ Euro Shootbolt 820-1300mm
- 1x 20° T/H Defender Restricted Friction Stay/pair
- 10x 58BW Anti Jammy/14mm Stack Run Up Block
- 4x AW+ Rebata End Keep
- 2x AW+ Rebata Centre Keep L/H
- 1x Winlock Espag Handle Black
- 1x Winlock Espag Handle Black
- 1x 20° T/H Defender Friction Stay/pair



3 A-GS-305
 1 A-GS-305
 4 A-GS-305
 2 A-GS-305

PROJECT NAME. DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8

Pos. 012, Quantity: 1


Open Out Window

Job: DTD Ref Chapter House



System: AluK GB 58BW / 58BD Commercial Bevelled Push In Exterior View

1x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.50 m² 528 x 953mm

1x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.63 m² 620 x 1020mm



- 1x AW+ Rebate Centre Keep R/H
- 1x Euro Shootbolt Cover
- 1x 20" T/H Defender Restricted Friction Stay/pair
- 5x 58BW Anti Jemmy/14mm Stack Run Up Block
- 2x AW+ Rebate End Keep
- 1x AW+ Rebate Centre Keep L/H
- 1x Winlock Espag Handle Black
- 1x AW+ Euro Shootbolt 540-820mm






2 A-GS-305	
1 A-GS-305	
PROJECT NAME, DTD Ref Chapter House	
DATE	SCALE
02.08.2021	1 : 3.6

Pos. 015, Quantity: 1
 Double Frame, Midrail
 Job: DTD Ref Chapter House
 System: AluK GB 58BW / 58BD Residential / ST Square Slide In
 Exterior View

2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
 28mm 1.51 m² 1089 x 1385mm




2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
 28mm 0.89 m² 1089 x 820mm



2 A-GS-305
 1 A-GS-305

PROJECT NAME, DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8

Pos. 016, Quantity: 1
 Job: DTD Ref Chapter House
 System: AluK GB 58BW / 58BD Residential / ST Square Push In
 Exterior View



- 2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.87 m² 616 x 1415mm
- 1x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.50 m² 616 x 820mm
- 2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.97 m² 686 x 1415mm
- 1x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.56 m² 686 x 820mm
- 2x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 1.00 m² 705 x 1415mm
- 1x 2x4mm 4mm Clear Planitherm Argon , 4:20:4 Tough Clear, Black Warm Edge Spacer. Argon, Glazing U-Value 1.2
28mm 0.58 m² 705 x 820mm
- 1x Filling Aluminium Panel
28mm 0.50 m² 616 x 820mm
- 1x Filling Aluminium Panel
28mm 0.58 m² 705 x 820mm
- 1x Filling Aluminium Panel
28mm 0.56 m² 686 x 820mm

- 8 A-GS-305
- 3 A-GS-305
- 7 A-GS-305
- 1 A-GS-305
- 8 A-GS-305
- 2 A-GS-305
- 4 A-GS-305
- 5 A-GS-305
- 6 A-GS-305

PROJECT NAME DTD Ref Chapter House	
DATE 02.08.2021	SCALE 1 : 3.8